

most fishes; and they not only act in elevation and depression, but in lateral rotation, as any one can verify for himself by watching fishes in an aquarium. In order to accommodate these united lateral appendages most conveniently to the sinuous curves into which the body of a fish is thrown in swimming, and to diminish the surface of resistance to the water, the parapodia have divided themselves into two groups, leaving the centre of the body, where the cephalic and caudal curves meet during progression, free from lateral appendages..

Time would fail to permit me to catalogue the many other recent additions to our knowledge of Ontogeny derived from Embryology, so I must draw to a conclusion by referring very briefly to the department of morphological science with which my own daily work brings me most closely into contact, viz. that of Human Anatomy.

Considering the limited field, and the care with which the human body has been scrutinized for so many years, it is easily understood that the amount of annual progress is inconsiderable, except in matters of minute detail; still every year gives to us a solid addition to our knowledge; and of the fruits of the past year's work I would refer, in passing, to the papers of Bernays on the development of the Auriculo-ventricular Valves, of Klein on the Histology of the Omentum, and of Herbert Watney on the Distribution of the Connective Reticulum throughout the whole alimentary canal.

In matters of detail it is still surprising how much yet remains to be done even in this much wrought department. In a subject so personally interesting as that of Human Anatomy, it is surely of practical utility, if not of scientific interest, that we should have correct and broadly based statements regarding averages of conditions in the case of the variable structures of the human body (and what part is not variable?). In the dissecting-rooms of Great Britain and Ireland there are at least six hundred human bodies examined annually, and yet there are few variable structures concerning which we have observations made on any thing like such a numerical basis.

It has been the fashion on the part of certain anatomists to disparage the work of those who observe and collate such cases of variety; but surely such a method of regarding any group of constantly recurring morphological facts is unphilosophical, even though the bearing of the facts be not at first sight obvious; and until we know the laws of whose operations these so-called anomalies are special cases, on general principles it becomes the business of the anatomist to collect, collate, and record these cases. Thanks to the researches of the laborious and indefatigable Prof. Wenzel Gruber, of St. Petersburg, that prince of descriptive anatomists, and to those of others too numerous to mention, the anatomical text-books of to-day are much more definite than they were thirty years ago. Yet much still requires to be done; and in even our most recent hand-books we often seek in vain for information on points of descriptive anatomy. Surely it is to be hoped, and not too much to expect, that in a few years some of the many small lacunæ in our knowledge will be filled up, and the study of human anatomy will become, not a mere matter of words and names, as it has in too many respects been heretofore, but a really scientific study, a practical application of sound morphological principle.

ANTHROPOLOGY.

Address to the Department of Anthropology. By FRANCIS GALTON, F.R.S.

PERMIT me to say a few words of personal explanation to account for the form of the Address I am about to offer. It has been the custom of my predecessors to give an account of recent proceedings in Anthropology, and to touch on many branches of that wide subject. But I am at this moment unprepared to follow their example with the completeness I should desire and you have a right to expect, owing to the suddenness with which I have been called upon to occupy this chair. I had, indeed, the honour of being nominated to the post last spring; but circum-

stances arising which made it highly probable that I should be prevented from attending this meeting, I was compelled to ask to be superseded. New arrangements were then made by the Council, and I thought no more about the matter. However, at the last moment, the accomplished ethnologist who otherwise would have presided over you was himself debarred by illness from attending, and the original plan had to be reverted to.

Under these circumstances I thought it best to depart somewhat from the usual form of Addresses, and to confine myself to certain topics with which I happen to have been recently engaged, even at the risk of incurring the charge of submitting to you a memoir rather than an address.

I propose to speak of the study of those groups of men who are sufficiently similar in their mental characters or in their physiognomy, or in both, to admit of classification; and I especially desire to show that many methods exist of pursuing the inquiry in a strictly scientific manner, although it has hitherto been too often conducted with extreme laxity.

The types of character of which I speak are such as those described by Theophrastus, La Bruyère, and others, or such as may be read of in ordinary literature and are universally recognized as being exceedingly true to nature. There are no worthier professors of this branch of Anthropology than the writers of the higher works of fiction, who are ever on the watch to discriminate varieties of character, and who have the art of describing them. It would, I think, be a valuable service to Anthropology if some person well versed in literature were to compile a volume of extracts from novels and plays that should illustrate the prevalent types of human character and temperament. What, however, I especially wish to point out is, that it has of late years become possible to pursue an inquiry into certain fundamental qualities of the mind by the aid of exact measurements. Most of you are aware of the recent progress of what has been termed Psycho-physics, or the science of subjecting mental processes to physical measurements and to physical laws. I do not now propose to speak of the laws that have been deduced, such as that which is known by the name of Fechner, and its numerous offshoots, including the law of fatigue; but I will briefly allude to a few instances of measurement of mental processes, merely to recall them to your memory. They will show, what I desire to lay stress upon, that the very foundations of the differences between the mental qualities of man and man admit of being gauged by a scale of inches and a clock.

Take, for example, the rate at which a sensation or a volition travels along the nerves, which has been the subject of numerous beautiful experiments. We now know that it is far from instantaneous, having, indeed, no higher velocity than that of a railway express train. This slowness of pace, speaking relatively to the requirements that the nerves have to fulfil, is quite sufficient to account for the fact that very small animals are quicker than very large ones in evading rapid blows, and for the other fact that the eye and the ear are situated in almost all animals in the head, in order that as little time as possible should be lost on the road in transmitting their impressions to the brain. Now the velocity of the complete process of to and fro nerve-transmission in persons of different temperaments has not been yet ascertained with the desired precision. Such difference, as there may be, is obviously a fundamental characteristic, and one that well deserves careful examination. I may take this opportunity of suggesting a simple inquiry that would throw much light on the degree in which its velocity varies in different persons, and how far it is correlated with temperament and external physical characteristics. Before I describe the inquiry I suggest, and towards which I have already collected a few data, it is necessary that I should explain the meaning of a term in common use among astronomers, namely "personal equation." It is a well-known fact that different observers make different estimates of the exact moment of the occurrence of any event. There is a common astronomical observation, in which the moment has to be recorded at which a star that is travelling across the field of view of a fixed telescope crosses the fine vertical wire by which that field of view is intersected. In making this observation it is found that some observers are over-sanguine and anticipate the event, while others are sluggish and allow the event to pass by before they succeed in noting it. This is by no means the effect of inexperience or maladroitness, but it is a persistent characteristic of each individual,

however practised in the art of making observations, or however attentive he may be. The difference between the time of a man's noting the event and that of its actual occurrence is called his personal equation. It remains curiously constant in every case for successive years, it is carefully ascertained for every assistant in every observatory, it is published along with his observations, and is applied to them just as a correction would be applied to measurements made by a foot-rule that was known to be too long or too short by some definite amount. Therefore the magnitude of a man's personal equation indicates a very fundamental peculiarity of his constitution; and the inquiry I would suggest is to make a comparison of the age, height, weight, colour of hair and eyes, and temperament (so far as it may admit of definition) in each observer in the various observatories at home and abroad, with the amount of his personal equation. We should thus learn how far the more obvious physical characteristics may be correlated with certain mental ones, and we should perhaps obtain a more precise scale of temperaments than we have at present.

Another subject of exact measurement is the time occupied in forming an elementary judgment. If a simple signal be suddenly shown, and if the observer presses a stop as quickly as he can when he sees it, some little time will certainly be lost, owing to delay in nerve-transmission and to the sluggishness of the mechanical apparatus. In making experiments on the rate of judgment, the amount of this interval is first ascertained. Then the observer prepares himself for the exhibition of a signal that may be either black or white, but he is left ignorant which of the two it will be. He is to press a stop with his right hand in the first event, and another stop with his left hand in the second one. The trial is then made, and a much longer interval is found to have elapsed between the exhibition of the alternative signal and the record of it than had elapsed when a simple signal was used. There has been hesitation and delay: in short, the simplest act of judgment is found to consume a definite time. It is obvious that here, again, we have means of ascertaining differences in the rapidity of forming elementary judgments and of classifying individuals accordingly.

It would be easy to pursue the subject of the measurement of mental qualities to considerable length, by describing other kinds of experiment, for they are numerous and varied. Among these is the plan of Professor Jevons, of suddenly exhibiting an unknown number of beans in a box, and requiring an estimate of their number to be immediately called out. A comparison of the estimate with the fact, in a large number of trials, brought out a very interesting scale of the accuracy of such estimates, which would of course vary in different individuals, and might be used as a means of classification. I can imagine few greater services to Anthropology than the collection of the various experiments that have been imagined to reduce the faculties of the mind to exact measurement. They have engaged the attention of the highest philosophers, but have never, so far as I am aware, been brought compendiously together, and have certainly not been introduced, as they deserve, to general notice.

Wherever we are able to perceive differences by intercomparison, we may reasonably hope that we may at some future time succeed in submitting those differences to measurement. The history of science is the history of such triumphs. I will ask your attention to a very notable instance of this, namely, that of the establishment of the scale of the thermometer. You are aware that the possibility of making a standard thermometric scale wholly depends upon that of determining two fixed points of temperature, the interval between them being graduated into a scale of equal parts. These points are, I need hardly say, the temperatures of freezing and of boiling water respectively. On this basis we are able to record temperature with minute accuracy, and the power of doing so has been one of the most important aids to Physics and Chemistry as well as to other branches of investigation. We have been so accustomed from our childhood to hear of degrees of temperature, and our scientific knowledge is so largely based upon exact thermometric measurement, that we cannot easily realize the state of science when the thermometer, as we now use it, was unknown. Yet such was the condition of affairs so recently

as two hundred years ago, or thereabouts. The invention of the thermometer, in its present complete form, was largely due to Boyle; and I find in his *Memoirs* (London, 1772, vol. vi. p. 403) a letter that cannot fail to interest us, since it well expresses the need of exact measurement that was then felt in a particular case, where it was soon eminently well supplied, and therefore encourages hope that our present needs as Anthropologists may hereafter, in some way or other, be equally well satisfied. The letter is from Dr. John Beale, a great friend and correspondent of Boyle, and is dated February, 1663. He says in it:—

“I see by several of my own thermometers, that the glass-men are by you so well instructed to make the stems in equal proportions, that if we could name some degrees, . . . we might by the proportions of the glass make our discourses intelligible in mentioning what degrees of cold our greatest frosts do produce. . . . If we can discourse of heat and cold in their several degrees, so as we may signify the same intelligibly, . . . it is more than our forefathers have taught us to do hitherto.”

The principal experiments by which the mental faculties may be measured require, unfortunately for us, rather costly and delicate apparatus; and until physiological laboratories are more numerous than at present, we can hardly expect that they will be pursued by many persons.

Let us now suppose that, by one or more of the methods I have described or alluded to, we have succeeded in obtaining a group of persons resembling one another in some mental quality, and that we desire to determine the external physical characteristics and features most commonly associated with it. I have nothing new to say as regards the usual anthropometric measurements; but I wish to speak of the great convenience of photographs in conveying those subtle but clearly visible peculiarities of outline which almost elude measurement. It is strange that no use is made of photography to obtain careful studies of the head and features. No single view can possibly exhibit the whole of a solid, but we require for that purpose views to be taken from three points at right angles to one another. Just as the architect requires to know the elevation, side view, and plan of a house, so the Anthropologist ought to have the full face, profile, and view of the head from above of the individual whose features he is studying.

It might be a great convenience, when numerous portraits have to be rapidly and inexpensively taken for the purpose of anthropological studies, to arrange a solid framework supporting three mirrors, that shall afford the views of which I have been speaking, by reflexion, at the same moment that the direct picture of the sitter is taken. He would present a three-quarter face to the camera for the direct picture, one adjacent mirror would reflect his profile towards it, another on the opposite side would reflect his full face, and a third sloping over him would reflect the head as seen from above. All the reflected images would lie at the same optical distance from the camera, and would therefore be on the same scale, but they would be on a somewhat smaller scale than the picture taken directly. The result would be an ordinary photographic picture of the sitter, surrounded by three different views of his head. Scales of inches attached to the framework would appear in the picture and give the means of exact measurement.

Having obtained drawings or photographs of several persons alike in most respects, but differing in minor details, what sure method is there of extracting the typical characteristics from them? I may mention a plan which had occurred both to Mr. Herbert Spencer and myself, the principle of which is to superimpose optically the various drawings and to accept the aggregate result. Mr. Spencer suggested to me in conversation that the drawings reduced to the same scale might be traced on separate pieces of transparent paper and secured one upon another, and then held between the eye and the light. I have attempted this with some success. My own idea was to throw faint images of the several portraits, in succession, upon the same sensitized photographic plate. I may add that it is perfectly easy to superimpose optically two portraits by means of a stereoscope, and that a person who is used to handle instruments will find a common double eyeglass fitted with

stereoscopic lenses to be almost as effectual and far handier than the boxes sold in shops.

In illustration of what I have said about photographic portraits, I will allude to some recent experiences of my own in a subject that I have still under consideration. In previous publications I have treated of men who have been the glory of mankind; I would now call your attention to those who are its disgrace. The particular group of men I have in view are the criminals of England, who have been condemned to long terms of penal servitude for various heinous offences.

It is needless to enlarge on the obvious fact that many persons have become convicts who, if they had been afforded the average chances of doing well, would have lived up to a fair standard of virtue. Neither need I enlarge on the other equally obvious fact, that a very large number of men escape criminal punishment who in reality deserve it quite as much as an average convict. Making every allowance for these two elements of uncertainty, no reasonable man can entertain a doubt that the convict class includes a large proportion of consummate scoundrels, and that we are entitled to expect to find in any large body of convicts a prevalence of the truly criminal characteristics, whatever these may be.

Criminality, though not very various in its development, is extremely complex in its origin; nevertheless certain general conclusions are arrived at by the best writers on the subject, among whom I would certainly rank Prosper Despine. The ideal criminal has three peculiarities of character: his conscience is almost deficient, his instincts are vicious, and his power of self-control is very weak. As a consequence of all this he usually detests continuous labour. This statement applies to the criminal classes generally—the special conditions that determine the description of crime being the character of the instincts, and the fact of the absence of self-control being due to ungovernable temper, or to passion, or to mere imbecility.

The deficiency of conscience in criminals, as shown by the absence of genuine remorse for their guilt, appears to astonish all who first become familiar with the details of prison life. Scenes of heartrending despair are hardly ever witnessed among prisoners; their sleep is broken by no uneasy dreams—on the contrary, it is easy and sound; they have also excellent appetites. But hypocrisy is a very common vice; and all my information agrees in one particular, as to the utter untruthfulness of criminals, however plausible their statements may appear to be.

The subject of vicious instincts is a very large one: we must guard ourselves against looking upon them as perversions, inasmuch as they may be strictly in accordance with the healthy nature of the man, and, being transmissible by inheritance, may become the normal characteristics of a healthy race, just as the sheep-dog, the retriever, the pointer, and the bull-dog have their several instincts. There can be no greater popular error than the supposition that natural instinct is a perfectly trustworthy guide, for there are striking contradictions to such an opinion in individuals of every description of animal. All that we are entitled to say is, that the prevalent instincts of each race are trustworthy, not those of every individual. A man who is counted as an atrocious criminal by society, and is punished as such by the law, may nevertheless have acted in strict accordance with his instincts. The ideal criminal is deficient in qualities that oppose his vicious instincts; he has neither the natural regard for others which lies at the base of conscience, nor has he sufficient self-control to enable him to consider his own selfish interests in the long run. He cannot be preserved from criminal misadventure, either by altruistic or by intelligently egoistic sentiments.

It becomes an interesting question to know how far these peculiarities may be correlated with physical characteristics and features. Through the cordial and ready assistance of Sir Edmund Du Cane, the Surveyor-General of Prisons, who has himself contributed a valuable memoir to the Social Science Congress on the subject, I was enabled to examine the many thousand photographs of criminals that are preserved for purposes of identification at the Home Office, to visit prisons and confer with the authorities, and lastly to procure for my own private statistical

inquiries a large number of copies of photographs of heinous criminals. I may as well say that I begged that the photographs should be furnished me without any names attached to them, but simply classified in three groups, according to the nature of the crime. The first group included murder, manslaughter, and burglary; the second group included felony and forgery; and the third group referred to sexual crimes. The photographs were of criminals who had been sentenced to long terms of penal servitude.

By familiarizing myself with the collection, and continually sorting the photographs in tentative ways, certain natural classes began to appear, some of which are exceedingly well marked. It was also very evident that the three groups of criminals contributed in very different proportions to the different physiognomic classes.

This is not the place to go further into details: indeed my inquiry is far from complete. I merely quote my experiences in order to show the way in which questions of character, physiognomy, and temperament admit of being scientifically approached, and to give an instance of the helpfulness of photography. If I had had the profiles and the shape of the head as seen from above, my results would have been much more instructive. Thus, to take a single instance, I have seen many pencil studies in outline of selected criminal faces drawn by Dr. Clarke, the accomplished and zealous medical officer of Pentonville Prison; and in these sketches a certain very characteristic profile seemed to me conspicuously prevalent. I should have been very glad of photographs to corroborate this. So, again, if I had had photographic views of the head taken from above, I could have tested, among other matters, the truth of Professor Benedict's assertion about the abnormally small size of the back of the head in criminals.

I have thus far spoken of the characters and physiognomy of well-marked varieties of men: the Anthropologist has next to consider the life-history of those varieties, and especially their tendency to perpetuate themselves, whether to displace other varieties and to spread, or else to die out. In illustration of this, I will proceed with what appears to be the history of the criminal class. Its perpetuation by heredity is a question that deserves more careful investigation than it has received; but it is on many accounts more difficult to grapple with than it may at first sight appear to be. The vagrant habits of the criminal classes, their illegitimate unions and extreme untruthfulness are among the difficulties. It is, however, easy to show that the criminal nature tends to be inherited; while, on the other hand, it is impossible that women who spend a large portion of the best years of their life in prison can contribute many children to the population. The true state of the case appears to be that the criminal population receives steady accessions from classes who, without having strongly marked criminal natures, do nevertheless belong to a type of humanity that is exceedingly ill-suited to play a respectable part in our modern civilization, though they are well suited to flourish under half-savage conditions, being naturally both healthy and prolific. These persons are apt to go to the bad; their daughters consort with criminals and become the parents of criminals. An extraordinary example of this is given by the history of the infamous Jukes family in America, whose pedigree has been made out, with extraordinary care, during no less than seven generations, and is the subject of an elaborate memoir printed in the thirty-first annual report of the Prison Association of New York, 1876. It includes no less than 540 individuals of Jukes blood; among whom the number of persons who degraded into criminality, pauperism, or disease is frightful to contemplate.

It is difficult to summarize the results in a few plain figures, but I will state those respecting the fifth generation, through the eldest of the five prolific daughters of the man who is the common ancestor of the race. The total number of these was 123, of whom 38 came through an illegitimate granddaughter, and 85 through legitimate grandchildren. Out of the 38, 16 have been in jail, 6 of them for heinous offences, one of these having been committed no less than nine times; 11 others were paupers, or led openly disreputable lives; 4 were notoriously intemperate; the history of 3 had not been traced, and only 4 were known to have done well. The great majority of the women consorted with criminals. As

to the 85 legitimate descendants, they were less flagrantly bad, for only 5 of them had been in jail, and only 13 others had been paupers. Now the ancestor of all this mischief, who was born about the year 1730, is described as having been a hunter and a fisher, a jolly companionable man, averse to steady labour, working hard and idling by turns, and who had numerous illegitimate children, whose issue has not been traced. He was, in fact, a somewhat good specimen of a half-savage, without any seriously criminal instincts. The girls were apparently attractive, marrying early and sometimes not badly; but the gipsy-like character of the race was unsuited to success in a civilized country. So the descendants went to the bad, and the hereditary moral weaknesses they may have had rose to the surface and worked their mischief without a check. Cohabiting with criminals, and being extremely prolific, the result was the production of a stock exceeding 500 in number, of a prevalent criminal type. Through disease and intemperance the breed is now rapidly diminishing; the infant mortality has of late been horrible among them; but fortunately the women of the present generation bear usually but few children and many of them are altogether childless.

This is not the place to go further into details. I have alluded to the Jukes family in order to show what extremely important topics lie open to inquiry in a single branch of anthropological research, and to stimulate others to follow it out. There can be no more interesting subject to us than the quality of the stock of our countrymen and of the human race generally, and there can be no more worthy inquiry than that which leads to an explanation of the conditions under which it deteriorates or improves.

ZOOLOGY AND BOTANY.

[For Dr. J. Gwyn Jeffreys's Address, see page 79.]

On the Colour of Animals. By WM. ACKROYD.

The tendency to change which we see in all departments of nature is perhaps nowhere more strikingly shown than in the phenomena of colour in the animal kingdom. The apparent seasonal change of garb by the arctic fauna, the assumption of brighter colours by males than by females in the gradual change from cubhood to the adult state, and the fading of the tints upon the nearing of old age, are sufficient evidences of this. The author proceeds to deal with these phenomena from a physical standpoint.

Respecting colour in the inorganic world, two propositions are enunciated, in which the coloured substance is referred to as the absorbing body.

Prop. I. *Alteration of atomic position in the absorbing body is accompanied by change of colour.*

Prop. II. is the converse of I.

Change of colour in the absorbing body is an evidence of its loss or gain of potential energy.

The latter proposition the writer attempts to apply to the study of the colour of animals, and works with the following scale, which he terms *the biological meta-chromatic scale* :—

